REPORT DOCUMENTATION PAGE

Approved for public release; distribution unlimited.

Form Approved OMB No. 0704-0188

Public reporting durings for this concepts of intermediate a promoted to hearing the previous for the concepts of the concepts

THE AND SUBTITLE Deep Water Formation and (Ocean Studeid by Natural 8 AUTHOR(5) P. Schlosser	Circulation Anthropoge	in the Arctic nic Tracers	S. FUNDING NUMBERS
Ocean Studeid by Natural (Anthropoge	nic Tracers	
P. Schlosser		•	
	•3	• 1	
ERFORMING CRGANIZATION NAME(S) A Lamont-Doherty Earth Obse		olumbia Univers	8. PERFORMING ORGANIZATION REPORT NUMBER
Route 9W Palisades, NY 10964-800	0	•	
9. SPONSORING/MONITORING AGENCY NAMELS) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER
The Trustees of Columbia		in the City of N	1Y ·
Office of Projects & Gran 1210 Amsterdam Ave - MC 2	205 205		
New York, NY 10027			

13. ABSTRACT (Maximum 200 words)

124. DISTRIBUTION / AVAILABILITY STATEMENT

Funds were requested for completion of measurements of tracer samples (tritium, helium isotopes, oxygen isotopes, ¹⁴C) from the ARCTIC '91 expedition, as well as for the inter-pretation of these data. Additionally, funds were requested for participation in an icebreaker expedition to the Arctic Ocean originally planned for 1995. This cruise could not be organized. Therefore, the funds were used for sample collection in the framework of the 1994 joint US/Canada Arctic ocean section (AOS 94).

14. SUBJECT TERMS			15. NUMBER OF PAGES
	,		16. PRICE CODE
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION		20. LIMITATION OF ABSTRACT
OF REPORT UNCLASSIFIED	UNCLASSIFIED	OF ABSTRACT UNCLASSIFIED	UL 199 (80v 2.99)

12 - H1540-01-280-5500

Final Project Report

Office of Naval Research

Deep Water Formation and Circulation in the Arctic Ocean Studied by Natural and Anthropogenic Tracers

Award Number N00014-94-1-0507

Peter Schlosser Principal Investigator

3/31/94 - 9/30/96

1. Background

We requested funds for completion of measurements of tracer samples (tritium, helium isotopes, oxygen isotopes, ¹⁴C) from the ARCTIC 91 expedition, as well as for the interpretation of these data. Additionally, funds were requested for participation in an icebreaker expedition to the Arctic Ocean originally planned for 1995. This cruise could not be organized. Therefore, the funds were used for sample collection in the framework of the 1994 joint U.S./Canada Arctic Ocean section (AOS 94).

2. Sample Collection

We collected the proposed number of samples along the AOS 94 section (for geographical position of the stations, see Fig. 1). We obtained good spatial resolution for most of the Canadian Basin. Due to technical problems with the Polar Sea, the sampling resolution in the Makarov Basin is lower than planned.

3. Measurements

The measurements of the samples from the ARCTIC 91 expedition were completed as planned. The data were combined with existing tracer data sets from the Arctic Ocean. The tritium and helium isotope data were measured at the L-DEO Noble Gas Laboratory (NGL). The ¹⁸O samples were measured in the stable isotope laboratory of Rick Fairbanks at L-DEO. We obtained a high-quality data set. Finally, the ¹⁴C samples were measured at the WHOI AMS facility at a precision of about ±3 to 5‰.

4. Results

The main results of the ARCTIC 91 data set were summarized in the Ph.D. theses of Drs. Dorothea Bauch (Bauch, 1994) and Brenda Ekwurzel (Ekwurzel, 1998). They are related to the following issues:

- 1. Determination of the fractions and water column inventory of the individual freshwater sources contributing to the Arctic surface waters (river runoff, sea-ice meltwater, Pacific inflow. The results were published in Bauch et al. (1995)
- 2. Determination of the mean residence times of the surface waters and the Atlantic waters in the Arctic Ocean (Schlosser et al., 1995a,b; Ekwurzel, 1998).
- 3. Derivation of the mean residence times of Canadian Basin Deep Water (Schlosser et al., 1994, 1997).

Whereas most of the results have been published, the tritium/³He sections will be published in the near future, together with other results summarized in Brenda Ekwurzel's thesis. These results are presently being prepared for publication. We are in the process of finishing three manuscripts for submission to JGR and DSR.

References

Bauch, D. (1994) The distribution of $\delta^{18}O$ in the Arctic Ocean: Implications for freshwater balance of the halocline and the sources of deep and bottom waters. Ph.D. Thesis, University of Heidelberg, February 1994.

Bauch, D., Schlosser, P. and Fairbanks, R.G., 1995. Freshwater balance and the sources of deep and bottom waters in the Arctic Ocean inferred from the distribution of H₂¹⁸O. *Progress in Oceanography*, 35, 53-80.

Ekwurzel, B. 1998. Arctic Ocean water mass circulation and ventilation ages derived from tritium, helium and oxygen-18 tracers. Ph.D. Thesis, Columbia University, May 1998.

Schlosser, P., Kromer, B., Östlund, H.G., Ekwurzel, B., Bönisch, G., Loosli, H.H., and Purtschert, R. 1994. On the distribution of ¹⁴C and ³⁹Ar in the Arctic Ocean: implications for deep water formation. *Radiocarbon*, 36, 327-343.

Schlosser, P., Bönisch, G., Kromer, B., Loosli, H.H., Bühler, B., Bayer, R., Bonani, G., Koltermann, K.P., 1995a. Mid 1980s distribution of tritium, ³He, ¹⁴C and ³⁹Ar in the Greenland/Norwegian seas and the Nansen Basin of the Arctic Ocean. *Progress in Oceanography*, 35, 1-28.

Schlosser, P., Swift, J., Lewis, D., and Pfirman, S.L., 1995b. The role of the large-scale Arctic Ocean circulation in the transport of contaminants. *Deep Sea Research* II, 42, 1337-1367.

Schlosser, P., Kromer, B., Ekwurzel, B., Bönisch, G., McNichol, A., Schneider, R., von Reden, K., Östlund, H.G., and Swift, J.H., 1997. The first trans-Arctic ¹⁴C section: comparison of the mean ages of the deep waters in the Eurasian and Canadian basins of the Arctic Ocean. *Nuclear Instruments and Methods in Physics Research*, B, 123, 431-437.

Figure Caption

Figure 1: Geographical positions of the AOS 94 tracer stations.

